
Fig. 1A



Double basic cluster: black box; e.g. KK

Possible region of specificity: underlined or boxed

Substitutions: bold


Fig. 1B

EN	GIVRK	WI	SRFEVW	PYL	KK
X_4	X_3	$\mathbf{X_2}$	\mathbf{X}_1	X_5	X_6

	SEQUENCE
$\mathbf{x_1}$	SRFEVW
X_2-X_1	WISRFEVW
X_1-X_5	SRFEVWPYL
$X_2 - X_1 - X_5$	WISRFEVWPYL
$X_2-X_1-X_5$	GIVRKWISRFEVWPYL
$X_3 - X_2 - X_1 - X_5$	GIVRKWISRFEVWPYLKK
$X_4 - X_3 - X_2 - X_1 - X_5 - X_6$	ENGIVRKWISRFEVWPYLKK
	$X_{2}-X_{1}$ $X_{1}-X_{5}$ $X_{2}-X_{1}-X_{5}$ $X_{2}-X_{1}-X_{5}$ $X_{3}-X_{2}-X_{1}-X_{5}$

Fig. 2

A



 \mathbf{B}




Fig. 3




Fig. 4




Fig. 5





Fig. 6A






Fig. 6B

Effect of SS2 on polymerized F-actin in vitro




Fig. 6C




Fig. 6D




Fig. 6E




Fig. 6F





Fig. 7

SS2 bundling activity is not affected by phalloidin



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record.

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked.

be a seed of the s
□ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.